

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Precious solders for precious and non-precious alloys (REF 61057)

WG I (REF 61057)

WG II (REF 61095)

WGL (REF 61079)

BEGO gold solder I (REF 61017)

BEGO gold solder II (REF 61043)

BEGO LFC solder I (REF 61119)

BegoStar solder (REF 61081)

Bio PlatinLloyd solder before firing (REF 61108)

Bio PlatinLloyd solder after firing (REF 61109)

Gold-EWL solder I (REF 61066)

Gold-EWL solder II (REF 61067)

PontoLloyd solder (REF 61074)

PontoRex solder before firing (REF 61038)

PontoRex solder after firing (REF 61039)

PontoStar G solder (REF 61045)

Pre-Flux U Gold solder (REF 61028)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Manufacturing of dental prosthesis in a dental laboratory

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

BEGO Bremer Goldschlägerei

Wilh. Herbst GmbH & Co. KG

Wilhelm-Herbst-Str. 1

28359 Bremen

Telephone no. +49/ 421/ 2028 – 0

Fax no. +49/ 421/ 2028 – 115

e-mail msds@bego.com

Information provided by / telephone

Research & Development Department - Materials, alloys and ceramics; +49/ 421/ 2028 – 130 (Chief Development Officer alloys)

Advice on Safety Data Sheet

msds@bego.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Carc. 2; H351
 Eye Irrit. 2; H319
 Skin Irrit. 2; H315
 Skin Sens. 1; H317
 STOT RE 1; H372i

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS07



GHS08

Signal word

Danger

Hazardous component(s) to be indicated on label:

nickel

Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer
H372i	Causes damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements

P260	Do not breathe dust.
P280	Wear protective gloves/protective clothing/eye protection.
P314	Get medical advice/attention if you feel unwell.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

Labelling information

In the form in which it is marketed, the product causes no danger to health for humans through inhalation, swallowing or contact with the skin. There is therefore no obligation to label the product in accordance with:
 - regulation 1272/2008 (CLP: annex I; 1.3.4.: "Metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers).

2.3 Other hazards

If the product form in the as-supplied state is changed through further processing (e.g. through grinding, polishing, electrical discharge machining, welding or melting) and dust or vapours are produced, there may be danger from hazardous components in the product (see information in chapter 3).

PBT assessment
 No data available.

vPvB assessment
 No data available.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	silver		
	7440-22-4 231-131-3 - -	-	< 50.00 %-b.w.
2	palladium		
	7440-05-3 231-115-6 - -	Flam. Sol. 1; H228 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	< 20.00 %-b.w.
3	nickel		
	7440-02-0 231-111-4 028-002-00-7 -	Carc. 2; H351 Skin Sens. 1; H317 STOT RE 1; H372**	< 20.00 %-b.w.
4	copper massive		
	7440-50-8 231-159-6 - -	-	>= 10.00 - < 25.00 %-b.w.
5	indium		
	7440-74-6 231-180-0 - -	-	< 2.50 %-b.w.
6	platinum		
	7440-06-4 231-116-1 - -	-	< 5.00 %-b.w.
7	tin		
	7440-31-5 231-141-8 - -	-	< 2.50 %-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(* , ** , *** , ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	S, 7	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

After inhalation

Ensure supply of fresh air. Remove affected person from the immediate area. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Metal fire powders; Sand

Unsuitable extinguishing media

Water; Foam; Carbon dioxide; Dry chemicals

5.2 Special hazards arising from the substance or mixture

No data available.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Adapt extinguisher and fire-fighting measures to fire in the environment. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation. Do not inhale vapours. Avoid dust formation. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Collect contaminated water / firefighting water separately. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid raising dust. When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Keep away from foodstuffs and beverages. Do not inhale vapours or dust.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a well-ventilated place.

Requirements for storage rooms and vessels

No special measures required.

Advice on storage assembly

Do not store together with: explosive substances

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	silver	7440-22-4	231-131-3
	2000/39/EWG		
	Silver, metallic		
	TWA	0.1	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Silver (metallic)		
	TWA	0.1	mg/m ³
2	nickel	7440-02-0	231-111-4
	List of approved workplace exposure limits (WELs) / EH40		
	Nickel		
	TWA	0.1	mg/m ³
	Skin resorption / sensibilisation	Sk	
3	copper massive	7440-50-8	231-159-6
	List of approved workplace exposure limits (WELs) / EH40		
	Copper fume		
	Cu		
	TWA	0.2	mg/m ³
4	indium	7440-74-6	231-180-0
	List of approved workplace exposure limits (WELs) / EH40		
	Indium		
	STEL	0.3	mg/m ³
	TWA	0.1	mg/m ³
5	platinum	7440-06-4	231-116-1
	List of approved workplace exposure limits (WELs) / EH40		
	Platinum metal		
	TWA	5	mg/m ³
6	tin	7440-31-5	231-141-8
	List of approved workplace exposure limits (WELs) / EH40		
	Tin		
	Sn		
	STEL	4	mg/m ³
	TWA	2	mg/m ³

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

In case of thermal processing, thermally insulating protective gloves are to be used. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
solid	
white; yellowish; yellow	
Odour	
odourless	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
Value	710 - 1125 °C
Remarks	The various products have different melting intervals within the indicated melting range.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

Decomposition point / decomposition range	
No data available	
Flash point	
No data available	
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility in water	
Remarks	insoluble
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Possible hydrogen formation upon contact with acids.

10.4 Conditions to avoid

None, if handled according to intended use.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

10.5 Incompatible materials

Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Inhalation of vapours in high concentration may cause metal fume fever and may cause damage of the central nervous system in case of repeated and prolonged exposure. Repeated and prolonged exposure to high dust concentrations may lead to irritation of the respiratory tract. Inhalation of metal-containing dusts may cause acute poisoning, leading to nausea, vomiting and abdominal pain. Metallic nickel and all its compounds may have a sensitising effect, in particular with persons with general proneness to allergies. Extended exposition through inhalation of nickel dust and flue gas may lead to lesions, incl. fibrosis. Nickel contaminated dust that is transferred by the ambient air is considered cancer-causing when entering the depths of the respiratory tract.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	nickel	7440-02-0	231-111-4	23, 27

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Trade name: Precious solders for precious and non-precious alloys (REF 61057)

Current version : 3.0.0, issued: 02.02.2017

Replaced version: 2.0.5, issued: 19.10.2015

Region: GB

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H228	Flammable solid.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

S	This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).
7	Alloys containing nickel are classified for skin sensitisation when the release rate of 0.5 µg Ni/cm ² /week, as measured by the European Standard reference test method EN 1811, is exceeded.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.